


# SKYHILL

*A Single Source for All Screen Printing Needs.*

ISO 9001:2000



## *Pad and Screenprinting Supplies and Accessories*



*You'll find all the accessories  
you need right here!*

# "We've Sharpened Our Image."

网印/移印/转印周边资材



# MING TAI

**Dedicated To The Creation of  
A Colorful World**

## **Products and technical services integrated into a single system.**

明太为您创造更缤纷的彩色世界，科技的进步，大幅提升人类生活素质。明太网版印刷机械股份有限公司全幅投入追随科技，为您创造更彩色的未来。秉持不断追求最新网印科技，以及著重一贯化的服务理念。明太公司将丰富您的生活色彩。我们提供全系列的网印设备，周边配备，技术服务，相关材料…等。我们永无休止的改进及创新产品。以最优惠的价格，高品质的服务为网印贡献。明太与您携手共创彩色的明天。

网版印刷除水、空气外，凡是眼睛看见的物体均可印刷精致富有立体感之图案，及现代工商不可脱离之印刷过程。

The constant rise in the quality of peoples lives is largely influenced by technology. MING TAI Screen Printing Machine Company Ltd., is dedicated to using technology to make a more colorful world for everyone. By continuously pursuing the latest in screen printing technology and emphasizing integrated service, MING TAI has been successful in making the world a little less grey. We offer a comprehensive range of screenprinting equipment, ancillary equipment, technical services and relevant materials. We will continue to make every effort to develop improvements and innovations for our products, while keeping prices low plus service and quality high. Join MING TAI as we move into a more colorful tomorrow.

Excluding water and air, virtually any object can be screen printed on. The fine screen printing creates a three dimensional image that provides a level of quality necessary for modern technology.





## 制版类...

### SCREEN RELATED PRODUCTS

丝网	SCREEN FABRIC
感光乳剂	PHOTOSENSITIVE EMULSIONS
刮槽 / 制版槽	EMULSION COATER
张力计	TENSION METER
补边剂	EDGE SEALING AGENT
补版剂 (针孔填充剂)	BLOCKOUT FILLER
硬膜剂	HARDENING AGENT
脱脂剂	DEGREASING AGENT
网框	SCREEN FRAMES
剥膜粉	EMULSION REMOVER
强力胶、硬化剂、 专用稀释溶剂	STRONG GLUE, HARDENER AND SPECIAL SOLVENT
气动喷枪	PNEUMATIC GUNJET
高压喷枪	HIGH PRESSURE SPRAY GUN
手动拉网夹	MANUAL STRETCHING CLAMP
封版胶带	SEALING TAPE
脱脂刷	DEGREASING BRUSH
修正桌	CORRECTION DESK
制版用间接菲林	INDIRECT FILM FOR STENCIL MAKING



## 油墨助剂类...

### INK RELATED PRODUCTS

油墨	INK
防塞溶剂	RETARDER
77水晶膏 (暂凝剂)	CRYSTAL PASTE (CONDENSING AGENT)
抗砂剂	ANTI-SILICONE AGENT
消泡剂	FLOW AGENT
酸化防止剂	ANTI-ACID AGENT
ST1平坦剂	EXTENDER BASE
溶剂、洗版剂	SOLVENT AND SCREEN CLEANER
UV油墨	UV INK
UV焦耳计 (能量检测器)	UV ENERGY-SURVEYING INSTRUMENT



## 器材类...

### ANCILLARY PRODUCTS

无尘擦拭纸	NON-DUST CLEANING PAPER
无尘擦拭布	NON-DUST CLEANING CLOTH
耐溶剂手套	ANTI-SOLVENT GLOVE
PE清洗卫生手套	PE CLEANING SANITARY GLOVES
无尘手套	DUSTLESS GLOVE
有机气体异臭口罩	ORGANIC GAS ODOR MASK
一次性卫生口罩	DISPOSABLE MASK
静电刷	STATIC ELIMINATING BRUSH
网目除塞剂	MESH ANTI-CHOKING AGENT
手印铝柄	MANUAL ALUMINUM HANDLE
油墨罐	PRINTING INK POT
色卡	COLOR CARD
油墨刀 (调墨刀)	INK SPATULA (INK SCRAPER)
溶剂自动供给器	PLUNGER CAN
刮刀	SQUEEGEE





## 转印类...

### TRANSFER PRINTING

升华油墨  
转印类  
烫金纸

**SUBLIMATION INK  
TRANSFER PRINTING  
HOT STAMPING FOIL**



## 特殊资材类...

### SPECIAL MATERIALS

色粉  
处理剂  
去渍水  
UV灯管  
台版印刷器材  
擦字剂

**PIGMENT  
TREATMENT AGENT  
ERADICATOR  
UV LAMP  
LONG TABLE PRINTING ACCESSORIES  
ERADICATOR**



## 移印类...

### PAD PRINTING

治具  
胶头  
钢版  
钢刀、油墨刷、  
油墨槽、钢刀夹  
钢版制作外围材料  
钢版晒版机

**JIG AND FIXTURE  
TRANSFER PAD  
DIE (STEEL PLATE), (CLICHE)  
DOCTOR BLADE, INK BRUSH  
INK RESERVOIR DOCTOR BLADE HOLDER  
STEEL PLATE PERIPHERAL MATERIALS  
CLICHE EXPOSURE UNIT**





本图片由龙门印刷陈程元先生提供



## 丝网 SCREEN FABRIC

视被印物来订网目密度，有日制、瑞士、台湾制100目~450目 尼龙(N)、特多龙(T)

The screen mesh varies with the products to be printed. Choice of Japanese, Swiss, or Taiwan made. 100 mesh ~ 450 mesh per linear inch, Nylon (N), Polyester (T).



## 感光乳剂 PHOTO SENSITIVE EMULSIONS

油性乳剂 = 适用油性版，比如印刷PVC、PS、PE、玻璃、文具.....等溶剂型油墨。

水性乳剂 = 适用水性版，比如印刷布类、印花衫、宣纸.....等水性油墨。

**SOLVENT RESISTANT EMULSION:** Suited for solvent resistant stencils and solvent based inks for printing on PVC, PS, PE, glass and stationary, etc.

**WATER RESISTANT EMULSION:** Suited for water resistant stencils and water based inks for printing on cloth, printed shirts, rice paper, etc.



## 刮槽 / 制版槽 EMULSION COATER

不锈钢制品其特别的刀口形状，使乳剂涂布时可得平滑之膜面。

Manufactured from stainless steel, with knife edge shape. It provides a smooth film surface for emulsion coating operations.





## 张力计 TENSION METER

张网版时测量其张力之仪器。

A measuring device for checking the stretch tension of screen.



## 补边剂 EDGE SEALING AGENT

网版制好后网版内使用补边剂封边，免去印刷时油墨渗入而产生脱网，而造成套色不准的困扰。

Once the screen has been properly stretched, apply this edge sealing agent to tightly join the screen fabric to the frame, preventing ink leakage and bad printing registration.



## 补版剂 (针孔填涂剂) BLOCKOUT FILLER

网版曝光后若有针孔以此补版剂来修补。

If any pin holes occur due to exposure of the screen stencil, they can be fixed using this blockout filler.



## 硬膜剂 HARDENING AGENT

油性版想少量印刷水性油墨时，用硬膜剂 (A + B) 即可使用而且油性版更耐溶剂，可惜版不能再生。

Occasionally, your needs require you to use a water based ink on your solvent resistant stencil. This hardening agent will allow you to use water based inks with a solvent resistant stencil and it also increase solvent resistance.

Note: The stencil can not be reclaimed or reused after using the hardening agent.



## 脱脂剂 DEGREASING AGENT

清洗完后之网版经过干燥，再用脱脂剂清洗可将丝网去油脂使网版和乳剂能完全密著，制网点版更不可缺忽之动作。

Once the screen fabric has been cleaned and dried, use the degreasing agent to degrease the silk screen, so that the screen fabric and emulsion are fastened securely. This should not be neglected while in making dot pattern stencils.





## 网框 SCREEN FRAMES

**单边铁双边铁:** 印刷产品有高低不平或是印刷部份紧靠边时用此特殊框可解决此问题, 且易于精美印刷。  
**测标框:** 可根据被印物不同度任意弯曲, 解决工艺上的麻烦从而印刷得心应手。

**Single side iron, double sides iron:** this specific frame is applied for uneven printing product or printing section close to the side, and for delicacy printing.

**Thin Frame:** different degree bending subject to the printed object, solve technical trouble and achieve handy printing.



## 剥膜粉 EMULSION REMOVER

制好之网版若要将原有图案去除, 将剥膜粉加水后置於网版上, 数分钟后用清水冲洗, 即完成网版再生。此剥膜粉不伤丝网故可多次使用 (再生网版之前先清洗版上油墨)

When removing figures from a screen is required, use the emulsion remover powder mixed with water to clean the screen. Fill the screen with the mixture, and wait several minutes before rinsing the screen with water. The emulsion remover will not damage the silk screen, thus allowing the screen to be continually reused. (Remove the ink from the screen before reclaiming).



## 强力胶, 硬化剂, 专用稀释溶剂 STRONG GLUE AND HARDENER AND SPECIAL SOLVENT

将丝网固定於木 (铝) 框上时, 先将强力胶涂於框上待干燥后再张网, 张网拉至需要张力涂上强力胶, 待干燥后去除多余丝网张网完成。强力胶过粘时请用专用稀释溶剂 (强力胶 + 硬化剂 = 20 : 1) 注意: 调过硬化剂的强力胶请勿置留隔日再使用, 会影响其粘性

When fitting the screen onto the wood (aluminum) frame, first coat the glue onto the frame. After the glue dries, stretch the screen to the desired tension and coat with glue. After the glue has dried, remove the waste screen. If the glue is too sticky, dilute it with MIBK solvent. The mixing ratio of glue to hardener is 20 : 1.



## 气动喷枪 PNEUMATIC GUNJET

一头接空压机另一头接水龙头, 雾状喷射确定网版显影的品质是制版不可缺少的工具。

Connect with air compressor at one end and water tap at the other end, determining developing quality of screen block via mist spray is necessary for screen making.



## 高压喷枪 HIGH PRESSURE SPRAY GUN

网版再生脱膜使用高压喷枪, 因它用电压力大可使网版脱膜干净如新。

It is for reclaiming of screen stencil. High pressure can make it very clean just like a new one.





## 手动拉网夹 MANUAL STRETCHING CLAMP

用此工具即可手工完成张网工作。适用小网框简便易用。

Can manual stretch the screen, specially for small screen, easily.



## 封版胶带 SEALING TAPE

做好网版封内外边用，油墨不滞留于网框边缘，更便于网版清洗。  
水性：铝箔、蓝色、透明等各式各胶带。

Can seal the internal and external of the screen so that the ink will not stay at the edge of the screen and facilitate cleaning. Water-based, Aluminum foil, Blue and Transparent tape etc. are available.



## 脱脂刷 DEGREASING BRUSH

网版清洗后用脱脂刷沾上脱脂剂慢慢清洗网版，可将网缝的油脂污垢完全清除让感光乳剂更耐印刷。

After washing, use degreasing brush to absorb some degreasing agent and then brush the screen gently.

Rinse it again with clean water. This can remove the grease or oil from the screen so that emulsion can adhere on screen firmly for long-lasting printing.



## 修正桌 CORRECTION DESK

做为修饰底片及网版制作完成后检视用。

For Purpose Inspection of the Film & screen.



## 制版用间接菲林 INDIRECT FILM FOR STENCIL MAKING

无需涂布感光胶，直接用间接菲林贴于网版上，即可做出精致图案，备有各种厚度。

Using Indirect Film on the screen instead of Emulsion, you can make good stencil too. Different thickness of Indirect Film available.





本图片由龙门印刷陈程元先生提供



## 油墨 INK

依不同印刷材质不同油墨，本公司备有数十种台湾明太牌油墨 = PVC、PS、PE、PP、PU、尼龙、特多龙转写、玻璃腐蚀……等。  
 代销：日本精工油墨、日本东洋油墨、日本十条、德国美耐博油墨，以及特殊助剂、原装配套溶剂。

MING TAI offers a wide variety of inks to meet various printing applications.

**MING TAI Brand Ink (Taiwan):** For printing PVC, PS, PE, PP, PU, nylon, polyester, transfer printing and glass etching, etc.

**Sale agent:** Japan Seiko ink, Japan Toyo ink, Japan Shitao, Germany Meinaibo ink, and specific auxiliary agent, original associated solvent.



## 防塞溶剂 RETARDER

印刷文字细小添加此剂可防止塞版之情况，操作更灵活更清晰而且味道不会有刺激之味道。

The retarder is for avoiding screen blocking problems in fine printing. It provides smooth operation, clear printing results, and is odorless and non-intoxicating.



## 77水晶膏 (暂凝剂) CRYSTAL PASTE (CONDENSING AGENT)

适用于网点及一般印刷可增其立体感，不有扩散之现象，增强文字、线条饱满感。

Suited for dot screen printing and general screen printing operations. It can upgrade the three-dimensional effect without diffusion problems, and increase resolution for letters.





## 抗矽剂 ANTI-SILICONE AGENT

印刷物表面若有（矽利康）时加入可排除，附着性更佳，适用于射出成型品，例 AS、ABS、PVC 之印刷体。

If there are silicon deposits on the screen printing surface, mix this anti-silicone agent with your ink for better adhesion. Ideal for injection molding products ie, AS, ABS and PVC, materials.



## 消泡剂 FLOW AGENT

一般油墨搅拌后印刷产生气泡与针孔，添加此助剂可排除此现象使印刷表面平坦无缺。

After mixing, the ink may cause bubbles or pinpoints on the printing surface. This flow agent will eliminate these problems, and will create a flat, smooth surface.



## 酸化防止剂 ANTI-ACID AGENT

当印刷金色油墨时，接触空气后容易氧化造成变黑的现象，金色油墨添加酸化防止剂后，印刷表面会跟空气隔离效果更佳。

When printing with gold color ink, a darkening may occur due to oxidation. Adding anti-acid agent to the ink will isolate the printed surface from the air for excellent printing quality.



## ST1 平坦剂 EXTENDER BASE

可添加於任何油墨（高温型、双液型除外）降低油墨之黏度，网印、移印时加此助剂可求印刷面之平坦，不有（橘子皮）针孔之现象。

Suitable to add to all kinds of inks (except high temperature and two component inks). Reduces the viscosity of the ink for screen printing and pad printing. It gives a smooth printing surface and eliminates pinholes (orange peel) problems.



## 溶剂、洗版剂 SOLVENT AND SCREEN CLEANER

溶剂：分为中干、慢干依不同种类之油墨而不同的溶剂。应特别的注意。洗版剂：清洗网版时请用和油墨同系类之洗版剂来清洗。

**SOLVENT:** Provided with normal dry and slow dry solvent to meet various ink requirements.  
**SCREEN CLEANER:** If the screen becomes choked or needs to be cleaned, apply the same system of screen cleaner as ink for cleaning.





## UV油墨

### UV INK

适用ABS、PC、PVC塑料制品，高浓厚、牢度极佳、耐酒精和酸碱，可耐研磨。(20000-50000次)

Applicable to ABS, PC, PVC with high concentration, good fastness and resistance to Alcohol, Acid, Alkali and Scratch. grinding up to 20000-50000 times.



## UV焦耳计(UV能量检测器)

### UV ENERGY-SURVEYING INSTRUMENT

UV焦耳计它应用在测量UV硬化系统效能、测量UV灯效率、建立适当UV硬化等级专用仪器。

UV Enrgy-Surveying Instrument is used to survey the efficiency of UV hardening system and UV Light. it is the special instrument to measure the grade of UV Hardening.







本图片由龙门印刷陈程元先生提供



## 无尘擦拭纸 NON-DUST CLEANING PAPER

是一种细而长的天然纤维，且强韧制成的擦拭纸，对于会产生大量油墨、油垢及污垢和擦拭精密仪器的好帮手。

Manufactured from natural fiber with durable performance. It is ideal for cleaning ink, oil dust, dirt, and instruments.



## 无尘擦拭布 NON-DUST CLEANING CLOTH

布质柔软对精密及敏感之物品表面擦拭时不会有痕迹、划伤、且无毛絮。

Cleaning the surface of precision and sensitive object with soft cloth will not leave any trace, scuffing, and flock.



## 耐溶剂手套 ANTI-SOLVENT GLOVE

清洗网版不可缺少的工具，并可确保皮肤不受伤害。

Essential tool for cleaning the screen, ensure skin free of any injury.





## PE 清洗卫生手套

### PE CLEANING SANITARY GLOVE

是一种PE叠合而成之手套，不怕溶剂侵蚀，保护双手，免除洗涤清理油墨之烦恼，对于一线工作人员深具提高工作效率。

This PE glove is not affected by solvent, protecting the hands and elimination the troublesome washing off of ink. It also upgrades the operator's working efficiency.



## 无尘手套

### DUSTLESS GLOVE

印刷时带上此手套不仅产品上无指纹（汗水）且可作印前擦拭产品之用。

Wearing this glove in printing not only ensures non-fingerprint(sweat) on products, but also applicable to clean products before printing.



## 有机气体异臭用口罩

### ORGANIC GAS ODOR MASK

含活性炭由多层不织布成型的0.05Micron之粉尘具95%以上之防尘效果，适用于有机溶剂、网版印刷、油墨油漆厂，空调不良场所，防尘防毒益於肺部健康。 \*\*另附带呼气阀

Manufactured from active carbon multiple layer non-woven cloth. It provides 95% dust protection for 0.05 micron particles. Effective for organic solvents, screenprinting ink, as well as for use when manufacturing paint. Also good for filtering dust and toxins in locations where there is poor ventilation, protecting the lungs of the wearer.



## 一次性卫生口罩

### DISPOSABLE MASK

材质柔软、安全卫生。改善环境清洁。可随意调整接触鼻梁角度，适合各种脸型。

Soft, comfortable, safe and clean disposable mask can keep the environment clean. Also, it can be adjusted to fit the different face appearance.



## 静电刷

### STATIC-ELIMINATING BRUSH

PC版、塑胶射出成型品、精密零件 ..... 等产品印刷前皆需排除静电。

Suited for removing electrostatic on products before screenprinting, such as PC boards, plastic injection molding products, precision parts, etc.





## 网目除塞剂 MESH ANTI-BLOCKING AGENT

印刷字体细小时请用此除塞剂，印刷更方便与顺畅。  
Applied for small printing font, more convenient and smooth printing.



## 手印铝柄 MANUAL ALUMINUM HANDLE

铝柄夹住刮胶，手工印刷时不可或缺的器具。  
Aluminum handle can hold the squeegee for printing. This is a must for manual printing.



## 油墨罐 PRINTING INK POT

调色及分装油墨用，双层盖，密封性好。  
规格：100g, 200g, 500g, 1kg  
Applicable to color matching and subpackage ink, double layer cover, good seals.  
Specification: 100g, 200g, 500g, 1kg



## 色卡 COLOR CARD

PANTONE色卡是国际标准，内有每色调和比例表，是印刷最佳参考表。  
PANTONE color cards meet international standards, and are provided with a color mixing proportion chart for each color.



## 油墨刀 INK SPATULA

不锈钢制的油墨刀在调合油墨时又快速又均匀，它分六种规格大圆口、中圆口、小圆口、大平口、中平口、小平口。  
The stainless steel ink spatula permits for fast and uniform ink mixing. 6 types available: Large Curve, Medium Curve, Small Curve, Large Flat, Medium Flat, and Small Flat Edge.





## 溶剂自动供给器 PLUNGER CAN

洗版剂装入自动供给器后，当要擦拭网版时只要轻轻一压，洗版剂会适量的流出，不会有过多或过少量之困扰。

Fill the screen cleaner into the can, and press it. The screen cleaner will flow out in the correct amount.



## 刮刀 SQUEEGEE

为了您精美的印刷作品：橡胶印刀；适合之硬度；适合之形状。单斜、双斜、平口、曲面用刮胶，其刮胶硬度请自行选用。

It is an important factor in printing quality. Hardness from 60<sup>o</sup> to 80<sup>o</sup>. To ensure printing quality, select a proper squeegee based on 1. Material, 2. Hardness and 3. Shape. Single bevel, Central bevel, Flat and special squeegee for curve printing are available with different hardness (Shore A) to meet your requirements.



## 简易式溶剂供给器

小型产品印刷或清洁时，将溶剂、酒精装入简易供给器，轻巧、方便且不佔空间





# SCREEN PRINTING JUST GOT EASIER



微電腦移印機  
MICRO-COMPUTER PAD PRINTER



T恤手動網版印刷機  
T-SHIRT HAND-OPERATED PRINTING MACHINE



平面手印台及夾具  
HAND-OPERATED SURFACE  
SCREEN PRINTING TABLE AND HOLDER  
半自動平面網版印刷機  
SEMI AUTOMATIC SURFACE SCREEN PRINTING MACHINE



曲面網版印刷機  
PE, PP PLASTIC-SURFACE FLAME TREATMENT MACHINE  
& CURVED-SCREEN PRINT MACHINE




氣壓式平面、曲面兩用網版印刷機  
PNEUMATIC CURVE AND SURFACE  
SCREEN PRINTING MACHINE



吸氣式手動平面網版印刷機  
SUCTION TYPE HAND OPERATED  
SCREEN PRINTING MACHINE



網版張網機  
STRETCHING DEVICE



網版印刷刮刀研磨機  
SQUEEGEE SHARPENER



網版制版器材  
SCREEN MAKING EQUIPMENTS

专业的明太工程部门，为您提供各种网版印刷之材料与机械设备，任何网版印刷技术及运用，在明太您都能获得完美的答案！

MING TAI offers the broadest range of screen printing materials and mechanical equipment. What's more important, we provide the solutions for any screen printing technology and its application.





## 升华油墨 SUBLIMATION INK

采用网版印刷在普通纸张上，印刷完成需要的图案或商标后用烫划机(200°C)转印即可。

Can be screen printed on plain paper and then use Heat Transfer Press to transfer the image from the paper to the substrate you want.



## 转印类 TRANSFER PRINTING

离型剂、粘剂、粘剂加粉、低温感压胶、OPP片材、进口转印纸。

Releasing Agent adhesive, adhesive powder, low temperature press-sensing glue, OPP sheet material, imported transfer paper.



## 烫金纸 HOT STAMPING FOIL

转印在PP, PS, ABS, PVCAS, 压克力、玩具、文具、化妆品等塑料制品的色箔。

Transfer printing of color foil for plastic such as PP, PS, ABS, PVC, AS, ACRYL to be used for TOY, STATIONERY and COSMETICS ETC.





## 色粉 PIGMENT

**荧光粉:** 八种颜色可相互调色从而达到艳丽效果, 亦可作荧光色油墨。  
**珍珠粉:** 三种颜色, 可根据调色所需加入油墨中, 产生其理想效果。  
**金粉、银粉、金闪、银闪粉:** 三种八个系列色, 根据不同颜色可混合调配。

**fluorescence powder:** mutual color matching of eight colors for flamboyance effect, also act as fluorescence ink.

**Pearl powder:** three colors can be added into printing ink as required by color matching, to generate ideal effect.

**Gold powder, silver powder, gold flash, silver flash powder:** three kinds, eight series colors can be mixed and prepared subject to different colors.



## 处理剂 TREATMENT AGENT

**PP处理剂:** 擦拭PP射出成型表面增强其附着性。

**橡胶处理剂:** 擦拭橡胶表面层以增强其附着性。

**PP TREATMENT AGENT:** Rub the surface of Injection Molding products to get better surface wettability.

**RUBBER TREATMENT AGENT:** Rub the surface of Rubber products to get better surface wettability.



## 去渍水 ERADICATOR

**去渍水:** 注塑件会残留一些油脂或脱膜剂, 用此去渍水擦拭后表面清洁, 便于印刷及其附着力。

It is ideal to remove the grease or releasing agent from the Injection Molding products by using ERADICATOR and get the clean surface for printing and adhesion.





## UV灯管 UV LAMP

紫外线干燥机、真空晒版机用的uv灯管，在使一定寿命(3000小时)需要更换以求光源的强度标准。

It is necessary to replace the UV lamp of UV DRYER and/or EXPOSURE UNIT after certain lifetime (About 3000 hours) in order to meet the standard of lightsource.



## 台版印刷器材 LONG TABLE PRINTING ACCESSORIES

台版定位器、手柄、型檔是台版印刷不可缺少之资材。

Register, Handle and T-shaped Stopper are necessary for Long Table Printing.




## 擦字剂 ERADICATOR

针对射出塑料、喷涂产品印刷不良时或污渍、油渍、脱膜剂，能有效擦拭干净且不伤表面层，从而降低损耗，提高效率。

This is high efficient cleaning agent to remove the bad painting or printing inks, impurities, grease, releasing agent etc. from the Injection Molding products without damage the surface but still get good cleaning results.







## 治具 JIG AND FIXTURE

平面，曲面，移印等各式成型品夹治具代客设计及制造。


Various jigs and fixtures are designed and manufactured to meet specific requirements in surface, curve and pad printing.



## 胶头 TRANSFER PAD

备有各种不同形状供选择。


Provided with various types for choice.



## 钢版 DIE (STEEL PLATE), (CLICHE)

材质为SKS-3，硬度为62-C<sup>0</sup>。金刚砂研磨，平面度佳，有多种尺寸供选择。

Precision ground for superior surface accuracy. Choice of various sizes.



## 钢刀，油墨刷，油墨槽，钢刀夹 DOCTOR BLADE, INK BRUSH, INK RES- ERVOIR DOCTOR BLADE HOLDER





## 钢版制作外围材料 STEEL PLATE PERIPHERAL MATERIALS

制作钢版专用，显影、腐蚀、稀释剂。

Specially for cliché making. Developing agent, Etching agent and Thinner.




## 钢版晒版机 CLICHE EXPOSURE UNIT

钢版制作晒版机：制作钢版专用，数字控制简易操作。

specialized for steel plate making, Digital control and easy to use.







### 明太网版印刷机械股份有限公司

台湾省台中县潭子乡中山路一段218号  
 电话: 886-4-25327901(代表号)  
 传真: 886-4-25327916  
<http://www.screenprinting.com.tw>  
<http://www.skyhill.com.tw>  
 E-mail:sales@ms.ming-tai.com.tw

### 上海敏太印刷机械材料有限公司

上海公司: 上海市莲花路1283号 传真: 021-54806458  
 电话: 021-54806465 54806466 54804914  
 手机: 1390-1937163 E-mail:screen@online.sh.cn  
 东莞公司: 东莞市虎门镇白沙一村商业街南行6号  
 电话: 0769-5191106 5191107 传真: 0769-5510803